


## P-GP Pick and Place Caps


The Pick and Place Caps are made in gfr Polyphenylene Sulfide PPS of type torA504 (RTI long-range temperature +130°C) and are suitable for reflow soldering. Special materials – e.g. irradiated cross-linked – and designs on request, dimensions in mm/inch).



The Pick and Place Caps allow automatic assembly of boards for components mounted on SMD-Carriers (GP) or SMD-Surface Mount Bases (TR-SMD). They connect with the SMD-Carriers and SMD-Base via a snap-on facility.

When ordering please quote type and order-code.

Type	Order-Code	A	B	C	I
P-GP 4-2.4/torA504	66980-132	5.5 / 0.197	6.5 / 0.256	2.4 / 0.094	0.5 / 0.020
P-GP 4-4.4/torA504	66981-132	5.5 / 0.197	6.5 / 0.256	4.4 / 0.173	0.5 / 0.020
P-GP 4-6.4/torA504	66982-132	5.5 / 0.197	6.5 / 0.256	6.4 / 0.252	0.5 / 0.020
P-GP 6-3.4/torA504	66983-132	6.6 / 0.260	7.7 / 0.303	3.4 / 0.139	0.5 / 0.020
P-GP 6-5.4/torA504	66984-132	6.6 / 0.260	7.7 / 0.303	5.4 / 0.213	0.5 / 0.020
P-GP 6-7.4/torA504	66985-132	6.6 / 0.260	7.7 / 0.303	7.4 / 0.291	0.5 / 0.020
P-GP 9-4.4/torA504	66986-132	9.2 / 0.362	10.3 / 0.406	4.4 / 0.173	0.5 / 0.020
P-GP 9-6.4/torA504	66987-132	9.2 / 0.362	10.3 / 0.406	6.4 / 0.252	0.5 / 0.020
P-GP 9-8.4/torA504	66988-132	9.2 / 0.362	10.3 / 0.406	8.4 / 0.331	0.5 / 0.020
P-GP 12-5.4/torA504	66989-132	12.4 / 0.488	13.5 / 0.531	5.4 / 0.213	0.5 / 0.020
P-GP 12-7.4/torA504	66990-132	12.4 / 0.488	13.5 / 0.531	7.4 / 0.291	0.5 / 0.020
P-GP 12-9.4/torA504	66991-132	12.4 / 0.488	13.5 / 0.531	9.4 / 0.370	0.5 / 0.020



### © 08/2011 by NORWE GmbH

All dimensions in mm/inch

The permissible deviations according to DIN 16901 apply as tolerances

Warranties:  
refer to Terms and Conditions of Sale

### NORWE GmbH

Postfach 13 56  
51691 Bergneustadt  
Paulstraße 5, Pernze  
51702 Bergneustadt  
Deutschland  
Telefon +49 (0) 27 63-807-0  
Telefax +49 (0) 27 63-807-77  
E-mail verkauf@norwe.de  
Internet www.norwe.de  
www.norwe.eu

### NORWE Inc.

P.O. Box 25 11  
North Canton, OH 44720-0511  
United States of America  
Telefon +1-330 497-8113  
Telefax +1-330 305-0592  
E-mail usa@norwe.com  
Internet www.norwe.com