



## Standard Potting Boxes Part 1

The boxes are made in gfr Polyamide PA66 of type p6g (RTI long-range temperature +125 °C) and CR-A3H2G6, black (RTI long-range temperature +110 °C). Special materials and designs on request, dimensions in mm/*inch*.



The potting boxes can be used to your special requirements. In particular they are suitable for potting safety transformers of the EE/M, EJ series to meet required creepage and clearance dimensions. Should you need more detailed information please ask for our catalogues. To process your order correctly please indicate type of potting box and order-code.

Type	Order-Code	A	B	C	D	E	F	G	H	I
M 20/vlb/15.0/p6g	00230-024	22.8 0.898	22.8 0.898	16.0 0.630	3.4 0.134	21.2 0.835	21.2 0.835	-	16.0 0.630	0.8 0.031
EE 25/vlb/19.2/p6g	10290-024	27.8 1.094	27.8 1.094	20.1 0.791	3.5 0.138	26.2 1.031	26.2 1.031	-	21.0 0.827	0.8 0.031
EE 25/vlb/23.7/p6g	10291-024	27.6 1.087	27.6 1.087	24.5 0.965	3.5 0.138	26.0 1.024	26.0 1.024	-	21.0 0.827	0.8 0.031
EJ 30/vlc/14.0/p6g	04830-024	32.4 1.276	27.4 1.079	14.8 0.583	4.0 0.157	25.8 1.016	30.8 1.213	22.8 0.898	20.8 0.819	0.8 0.031
EJ 30/vlc/16.0/p6g	04831-024	32.4 1.276	27.4 1.079	16.8 0.661	4.0 0.157	25.8 1.016	30.8 1.213	22.8 0.898	20.8 0.819	0.8 0.031
EJ 30/vlc/19.5/p6g	04832-024	32.4 1.276	27.4 1.079	20.3 0.799	4.0 0.157	25.8 1.016	30.8 1.213	22.8 0.898	20.8 0.819	0.8 0.031
EJ 30/vlc/21.5/p6g	04833-024	32.4 1.276	27.4 1.079	22.3 0.878	4.0 0.157	25.8 1.016	30.8 1.213	22.8 0.898	20.8 0.819	0.8 0.031
EJ 30/vlc/23.5/p6g	04834-024	32.4 1.276	27.4 1.079	24.3 0.957	4.0 0.157	25.8 1.016	30.8 1.213	22.8 0.898	20.8 0.819	0.8 0.031



© 09/2021 by NORWE GmbH

Warranties:  
refer to Terms and Conditions of Sale

**NORWE GmbH**

Postfach 13 56  
51691 Bergneustadt  
Paulstraße 5, Pernze  
51702 Bergneustadt  
Deutschland

Telefon +49 (0) 27 63-807-0  
Telefax +49 (0) 27 63-807-77  
E-mail verkauf@norwe.de  
Internet www.norwe.de  
www.norwe.eu

**NORWE Inc.**

P.O. Box 25 11  
North Canton, OH 44720-0511  
United States of America  
Telefon +1-330 497-8113  
Telefax +1-330 305-0592  
E-mail usa@norwe.com  
Internet www.norwe.com




Valid version of  
data sheet online

QR Online-Version


## Standard Potting Boxes Part 1

The boxes are made in gfr Polyamide PA66 of type p6g (RTI long-range temperature +125 °C) and CR-A3H2G6, black (RTI long-range temperature +110 °C). Special materials and designs on request, dimensions in mm/*inch*.



The potting boxes can be used to your special requirements. In particular they are suitable for potting safety transformers of the EE/M, EJ series to meet required creepage and clearance dimensions. Should you need more detailed information please ask for our catalogues. To process your order correctly please indicate type of potting box and order-code.

Type	Order-Code	A	B	C	D	E	F	G	H	I
EJ 30/vlc/24.0/p6g	04820-024	32.4	27.4	24.8	4.0	25.8	30.8	22.8	20.8	0.8
		1.276	1.079	0.976	0.157	1.016	1.213	0.898	0.819	0.031
EJ 30/vlc/26.5/p6g	04899-024	32.4	27.4	27.3	4.0	25.8	30.8	22.8	20.8	0.8
		1.276	1.079	1.075	0.157	1.016	1.213	0.898	0.819	0.031
EJ 30/vlc/29.0/p6g	04835-024	32.4	27.4	29.8	4.0	25.8	30.8	22.8	20.8	0.8
		1.276	1.079	1.173	0.157	1.016	1.213	0.898	0.819	0.031
M 30/vlc/19.5/p6g	00690-024	32.8	32.8	20.3	5.7	31.2	31.2	23.8	23.8	0.8
		1.291	1.291	0.799	0.224	1.228	1.228	0.937	0.937	0.031
M 30/vlc/21.0/p6g	00700-024	32.8	32.8	21.8	5.7	31.2	31.2	23.8	23.8	0.8
		1.291	1.291	0.858	0.224	1.228	1.228	0.937	0.937	0.031
M 30/vlc/25.0/p6g	00980-024	32.8	32.8	25.8	5.7	31.2	31.2	23.8	23.8	0.8
		1.291	1.291	1.016	0.224	1.228	1.228	0.937	0.937	0.031
EE 32/vlb/24.0/p6g	10590-024	35.0	34.0	25.0	5.5	32.4	33.4	29.0	28.0	0.8
		1.378	1.339	0.984	0.217	1.276	1.315	1.142	1.102	0.031
EJ 38/vlc/29.8/p6g	05197-024	41.0	35.0	30.6	5.7	33.4	39.4	29.6	25.2	0.8
		1.614	1.378	1.205	0.224	1.315	1.551	1.165	0.992	0.031



© 09/2021 by NORWE GmbH

Warranties:  
refer to Terms and Conditions of Sale

**NORWE GmbH**

Postfach 13 56  
51691 Bergneustadt  
Paulstraße 5, Pernze  
51702 Bergneustadt  
Deutschland

Telefon +49 (0) 27 63-807-0  
Telefax +49 (0) 27 63-807-77  
E-mail verkauf@norwe.de  
Internet www.norwe.de  
www.norwe.eu

**NORWE Inc.**

P.O. Box 25 11  
North Canton, OH 44720-0511  
United States of America  
Telefon +1-330 497-8113  
Telefax +1-330 305-0592  
E-mail usa@norwe.com  
Internet www.norwe.com




Valid version of  
data sheet online

QR Online-Version


## Standard Potting Boxes Part 1

The boxes are made in gfr Polyamide PA66 of type p6g (RTI long-range temperature +125 °C) and CR-A3H2G6,black (RTI long-range temperature +110 °C).  
Special materials and designs on request, dimensions in mm/*inch*.



The potting boxes can be used to your special requirements. In particular they are suitable for potting safety transformers of the EE/M, EJ series to meet required creepage and clearance dimensions. Should you need more detailed information please ask for our catalogues. To process your order correctly please indicate type of potting box and order-code.

Type	Order-Code	A	B	C	D	E	F	G	H	I
EJ 38/Mc/31.5/p6g	05 195 - 024	41.0 1.614	35.0 1.378	32.3 1.272	5.9 0.232	33.4 1.315	39.6 1.559	28.7 1.130	24.8 0.976	0.8 0.031
EJ 42/Mc/31.5/p6g	05490 - 024	43.8 1.724	37.0 1.457	32.3 1.272	6.2 0.244	35.4 1.394	42.2 1.661	32.0 1.260	27.7 1.091	0.8 0.031
EJ 42/Mc/32.5/p6g	05495 - 024	45.0 1.772	38.0 1.496	33.3 1.311	7.4 0.291	36.2 1.425	43.2 1.701	30.0 1.181	28.0 1.102	0.9 0.035
EJ 48/Mc/37.0/p6g	05795 - 024	51.0 2.008	43.0 1.693	38.0 1.496	6.6 0.260	41.0 1.614	49.0 1.929	33.6 1.323	30.2 1.189	1.0 0.039
M 42/Mc/36.0/p6g	01435 - 024	46.2 1.819	46.2 1.819	37.2 1.465	8.4 0.331	44.6 1.756	44.6 1.756	33.8 1.331	33.8 1.331	0.8 0.031
EJ 54/Mc/38.2/CR-A3H2G6,sw	06195 - 134	56.0 2.205	47.0 1.850	38.8 1.528	7.0 0.276	45.4 1.787	54.4 2.142	37.4 1.472	33.4 1.315	0.8 0.031



© 09/2021 by NORWE GmbH

Warranties:  
refer to Terms and Conditions of Sale



Valid version of  
data sheet online

QR Online-Version

**NORWE GmbH**

Postfach 13 56  
51691 Bergneustadt  
Paulstraße 5, Pernze  
51702 Bergneustadt  
Deutschland  
Telefon +49 (0) 27 63-807-0  
Telefax +49 (0) 27 63-807-77  
E-mail verkauf@norwe.de  
Internet www.norwe.de  
www.norwe.eu

**NORWE Inc.**

P.O. Box 25 11  
North Canton, OH 44720-0511  
United States of America  
Telefon +1-330 497-8113  
Telefax +1-330 305-0592  
E-mail usa@norwe.com  
Internet www.norwe.com